



Food Machinery Grease

General Description

Food Machinery Grease is a premium quality grease for use in food processing establishments where USDA H-1 lubricants are required due to possible incidental contact with food products.

Food Machinery Grease is a top quality aluminum complex thickened grease containing entirely food grade ingredients so as to be acceptable for this critical environment. This formulation provides excellent high temperature performance, with a dropping point over 475°F and superior oxidation stability. Food Machinery Grease provides excellent extreme pressure (EP) and anti-wear protection, as well as superior rust and corrosion inhibiting properties, and water washout/spray-off performance.

Expect excellent performance in these applications:

- Extreme pressure conditions
- High shock load environments
- High humidity conditions
- Chassis lubrication
- Wheel bearings
- General greasing

Features and Benefits

- **USDA:** USDA H-1, for incidental contact in the food packaging and processing industries.
- **Extreme Pressure Protection:** Superior EP and anti-wear protection provides long machinery life and reduced maintenance.
- **High Temperature Protection:** Excellent drop point and oxidation resistance provide long lubricant life and stability at high temperatures.

Food Machinery Grease

Typical Applications

Food Machinery Grease is recommended for food processing and packaging equipment when a USDA H-1 lubricant is required.

Typical Customers

- Food Processing Plants
- Food Growers requiring H-1 lubricants in their equipment

Typical Properties

NLGI Grade	#2	#1
Soap Type	Aluminum Complex	Aluminum Complex
Color	White	White
Texture	Buttery	Buttery
Dropping Point, °F	475 Min.	475 Min.
Worked Penetration	280	325
Base Oil Viscosity		
Viscosity @ 40°C, cSt	68	68
Timken OK Load, lb., min.	40	40

The typical properties listed reflect the general characteristics of the product, and are not manufacturing specifications. Normal batch-to-batch variations should be expected.

Health & Safety

A complete safety data sheet is available by calling 1-651-355-8438 or visit cenex.com/sds-library.